



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculos.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Leeds.....	Apr. 15	498,027	192	9								1	1	2
Leipzig.....	do.....	585,743	146	20						1		3	1	
Leith.....	do.....	87,826	22	2										1
Libau.....	Apr. 16	90,000									1			
Liege.....	Mar. 18	174,768	74	6									3	
Do.....	Mar. 25		58	5									1	
Liverpool.....	Apr. 15	77,495	336	35					1	1	4	1	11	12
London.....	Apr. 22	7,645,716	2,144	25							4	24	148	74
Lubeck.....	Apr. 8	98,700	25	3										1
Lyon.....	do.....	520,735	179	33								4		
Do.....	Apr. 15		170	29								3		
Magdeburg.....	Apr. 1	276,240	114	12						1		3	2	
Do.....	Apr. 8		79	4								2	3	1
Madras.....	Apr. 1	550,000	383					19					9	
Manaos.....	Apr. 8	52,000	40	4			6							
Do.....	Apr. 15		48				7							
Manchester.....	Apr. 8	631,533	224	29						2	1	1	9	3
Do.....	Apr. 15		256	43						2		1	3	7
Mannheim.....	Apr. 8	194,724	49	7								2	11	1
Muskat.....	Apr. 9	10,000			10									
Monterey.....	Apr. 23	100,000	61	8						2	8		1	
Montreal.....	Apr. 29	450,000	168	18						1	2	1	1	2
Munich.....	Apr. 8	597,000	179	36								1		
Do.....	Apr. 15		189	32						1	3	3	3	
Nagoya.....	Mar. 18	402,101	136									2		
Nantes.....	Apr. 16	161,908	77	18						3				
Naples.....	Apr. 18	593,729						4						
Newcastle-on-Tyne.....	Apr. 15	290,360	120	10							1	2	8	2
Nottingham.....	Apr. 8	260,000	83							2				
Odessa.....	do.....	383,000	176	34					4		2			2
Ottawa.....	Apr. 22	86,000	28	1						1		1		
Palermo.....	Apr. 8	340,000	150	6				6		1	3			
Do.....	Apr. 15		137	6				4	1	2	3	1		1
Para.....	Apr. 15	185,000	91	7			1							
Do.....	Apr. 22		86	9										
Penang.....	Feb. 18	248,207	77	15										
Do.....	Feb. 25		75	17				1						
Do.....	Mar. 4		70	14				2						
Do.....	Mar. 11		74	18				2						
Do.....	Mar. 18		70	9										
Do.....	Mar. 25		80	16				2		1				
Do.....	Apr. 1		74	15				2		1				
Plymouth.....	Apr. 22	124,180	41							1		2	4	
Port Elizabeth.....	Apr. 1	32,248	14	4						1				
Port Said.....	Mar. 25	52,811	23					3					1	1
Do.....	Apr. 1		23	1				3		1		1		
Do.....	Apr. 8		20		1			3						
Prague.....	do.....	235,556	78	12						1	3	2		
Do.....	Apr. 15		90	22								1	2	2

## MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

BRAZIL—*Ceara*.—Month of February, 1911. Population, 55,000. Total number of deaths from all causes 160, including tuberculosis 19, typhoid fever 7.

FRANCE—*Marseille*.—Month of March, 1911. Population, 517,498. Total number of deaths from all causes 996, including diphtheria 5, measles 85, tuberculosis 158, typhoid fever 9.

*Roubaix*.—Month of March, 1911. Population, 122,156. Total number of deaths from all causes, not reported. Deaths from contagious diseases reported: Diphtheria 2, measles 1, tuberculosis 27.

*St. Etienne*.—Two weeks ended March 31, 1911. Population, 150,000. Total number of deaths from all causes, 147, including measles 2, tuberculosis 26, typhoid fever 1.

GREAT BRITAIN.—Week ended April 15, 1911.

*England and Wales*.—The deaths registered in 77 great towns correspond to an annual rate of 15.9 per 1,000 of the population, which is estimated at 17,160,256.

*Ireland*.—The deaths registered in 21 principal town districts correspond to an annual rate of 20.3 per 1,000 of the population, which is estimated at 1,163,596. The lowest rate was recorded at Drogheda, viz, 4.1, and the highest at Kilkenny, viz, 44.2 per 1,000.

*Scotland*.—The deaths registered in 8 principal towns correspond to an annual rate of 17 per 1,000 of the population, which is estimated at 1,917,875. The lowest rate was recorded at Leith, viz, 13.1, and the highest at Paisley, viz, 21.9 per 1,000. The total number of deaths from all causes was 625, including diphtheria 8, measles 11, scarlet fever 1, typhoid fever 2.

ITALY—*Messina*.—March 15 to April 10 (inclusive), 1911. Population, 93,672. Total number of deaths from all causes 77, including diphtheria 1, tuberculosis 4.

JAPAN—*Formosa*.—Three weeks ended March 18, 1911. Population, 3,290,186. Total number of deaths from all causes not reported. Deaths from contagious diseases reported: Diphtheria 1, plague 10.

LOURENCO MARQUEZ.—Month of January, 1911. Population, 10,000. Total number of deaths from all causes 43, including tuberculosis 9.

MALTA.—Two weeks ended April 8, 1911. Population, 215,879. Total number of deaths from all causes 125, including tuberculosis 7.

ROUMANIA.—Month of January, 1911. Population, 7,000,000. Total number of deaths from all causes, not reported. Deaths from contagious diseases reported: Diphtheria 123, measles 344, scarlet fever 331, typhoid fever 70.

RUSSIA—*Libau*.—Four weeks ended January 14, 1911. Population, 90,000. Total number of deaths from all causes, not reported. Deaths from contagious diseases reported: Diphtheria 1, measles 2, scarlet fever 3, smallpox 2, typhoid fever 1.

SOUTH AFRICA—*Johannesburg*.—Two weeks ended January 21, 1911. Population, 220,304. Total number of deaths from all causes, 221, including measles 3, tuberculosis 26, typhoid fever 6.

Four weeks ended February 18, 1911. Total number of deaths from all causes, 409, including diphtheria 1, measles 4, scarlet fever 2, tuberculosis 38, typhoid fever 17.

Four weeks ended March 18, 1911. Total number of deaths from all causes, 400, including diphtheria 1, measles 4, tuberculosis 26, typhoid fever 15.

TURKS ISLANDS.—Four weeks ended April 15, 1911. Population, 1,800. Total number of deaths from all causes, 1. No contagious diseases.

By authority of the Secretary of the Treasury:

WALTER WYMAN,

*Surgeon General,*

*United States Public Health and Marine-Hospital Service.*